

# the theory formerly known as **STRINGS**

By Michael J. Duff

**The Theory of Everything is emerging as one in which not only strings but also membranes and black holes play a role**

**A**t a time when certain pundits claim that all the important discoveries have already been made, it is worth emphasizing that the two main pillars of 20th-century physics, quantum mechanics and Einstein's general theory of relativity, are mutually incompatible. General relativity fails to comply with the quantum rules that govern the behavior of elementary particles, while black holes are challenging the very foundations of quantum mechanics. Something big has to give.

Until recently, the best hope for a theory that would unite gravity with quantum mechanics and describe all physical phenomena was based on strings: one-dimensional objects whose modes of vibration represent the elementary particles. In 1995, however, strings were subsumed by M-theory. In the words of the guru of string theory, Edward Witten of the Institute for Advanced Study in Princeton, N.J., "M stands for magic, mystery or membrane, according to taste." New evidence in favor of this theory is appearing daily, representing the most exciting development since strings first swept onto the scene.

M-theory, like string theory, relies cru-


cially on the idea of supersymmetry. Physicists divide particles into two classes, according to their inherent angular momentum, or "spin." Supersymmetry requires that for each known particle having integer spin—0, 1, 2 and so on, measured in quantum units—there is a particle with the same mass but half-integer spin ( $1/2$ ,  $3/2$ ,  $5/2$  and so on), and vice versa.

Unfortunately, no such superpartner has yet been found. The symmetry, if it exists at all, must be broken, so that the postulated particles do not have the same mass as known ones but instead are too heavy to be seen in current accelerators. Even so, theorists believe in supersymmetry because it provides a framework within which the weak, electromagnetic and strong forces may be united with the most elusive force of all: gravity.

Supersymmetry transforms the coordinates of space and time such that the laws of physics are the same for all observers. Einstein's general theory of relativity derives from this condition, and so

supersymmetry implies gravity. In fact, supersymmetry predicts "supergravity," in which a particle with a spin of 2—the graviton—transmits gravitational interactions and has as a partner a gravitino, with a spin of  $3/2$ .

Conventional gravity does not place any limits on the possible dimensions of spacetime: its equations can, in principle, be formulated in any dimension. Not so with supergravity, which places an upper limit of 11 on the dimensions of spacetime. The familiar universe, of course, has three dimensions of space: height, length and breadth; time is the fourth dimension of spacetime. But in the early 1920s Polish physicist Theodore Kaluza and Swedish physicist Oskar Klein suggested that spacetime may have a hidden fifth dimension. This extra dimension would not be



DUSAN PETRICIC



LIFE, THE UNIVERSE AND EVERYTHING may arise from the interplay of strings, bubbles and sheets in higher dimensions of spacetime.

IIA and Type IIB strings. (The Type I is an “open” string consisting of just a segment; the others are “closed” strings that form loops.) The  $E_8 \times E_8$  seemed—at least in principle—capable of explaining the elementary particles and forces, including their handedness. And strings seemed to provide a theory of gravity consistent with quantum effects. All these virtues enabled string theory to sweep physicists off their feet and supergravity into the doghouse.

After the initial euphoria over strings, however, doubts began to creep in. First, important questions—especially how to confront the theory with experiment—seemed incapable of being answered by traditional methods of calculation. Second, why were there five different string theories? If one is looking for a unique Theory of Everything, surely this is an embarrassment of riches. Third, if supersymmetry permits 11 dimensions, why do superstrings stop at 10? Finally, if we are going to conceive of pointlike particles as strings, why not as membranes or more generally as  $p$ -dimensional objects, inevitably dubbed  $p$ -branes?

Consequently, while most theorists were tucking into super-spaghetti, a small group was developing an appetite for super-ravioli. A particle, which has zero dimensions, sweeps out a one-dimensional trace, or “worldline,” as it evolves in spacetime [see top illustration on next page]. Similarly a string—having one dimension: length—sweeps out a two-dimensional “worldsheet,” and a membrane—having two dimensions: length and breadth—sweeps out a three-dimensional “world-volume.” In general, a  $p$ -brane sweeps out a worldvolume of  $p + 1$  dimensions.

As early as 1962, Paul A. M. Dirac

infinite, like the others; instead it would close in on itself, forming a circle. Around that circle could reside quantum waves, fitting neatly into a loop. Only integer numbers of waves could fit around the circle; each of these would correspond to a particle with a different energy. So the energies would be “quantized,” or discrete.

An observer living in the other four dimensions, however, would see a set of particles with discrete charges, rather than energies. The quantum, or unit, of charge would depend on the circle’s radius. In the real world as well, electrical charge is quantized, in units of  $e$ , the charge on the electron. To get the right value for  $e$ , the circle would have to be tiny, about  $10^{-33}$  centimeter in radius.

The unseen dimension’s small size explains why humans, or even atoms, are unaware of it. Even so, it would yield electromagnetism. And gravity, already present in the four-dimensional world, would be united with that force.

In 1978 Eugene Cremmer, Bernard Julia and Joel Scherk of the École Normale Supérieure in Paris realized that supergravity not only permits up to seven extra dimensions but is most elegant when existing in a spacetime of 11 dimensions (10 of space and one of time). The kind of real, four-dimensional world

the theory ultimately predicts depends on how the extra dimensions are rolled up, à la Kaluza and Klein. The several curled dimensions could conceivably allow physicists to derive, in addition to electromagnetism, the strong and weak nuclear forces. For these reasons, many physicists began to look to supergravity in 11 dimensions for the unified theory.


In 1984, however, 11-dimensional supergravity was rudely knocked off its pedestal. An important feature of the real world is that nature distinguishes between right and left. Witten and others emphasized that such “handedness” cannot readily be derived by reducing spacetime from 11 dimensions down to four.

## P-Branes

SUPERGRAVITY’S position was usurped by superstring theory in 10 dimensions. Five competing theories held sway, designated by their mathematical characteristics as the  $E_8 \times E_8$  heterotic, the  $SO(32)$  heterotic, the  $SO(32)$  Type I, and the Type

THE AUTHOR

MICHAEL J. DUFF conducts research on unified theories of elementary particles, quantum gravity, supergravity, superstrings, supermembranes and M-theory. He earned his Ph.D. in theoretical physics in 1972 at Imperial College, London, and joined the faculty there in 1980. He became a Distinguished Professor at Texas A&M University in 1992. Duff is now Oskar Klein Professor of Physics at the University of Michigan and director of the Michigan Center for Theoretical Physics.



TRAJECTORY of a particle in spacetime traces a worldline. Similarly, that of a string or a membrane sweeps out a worldsheet or worldvolume, respectively.

had constructed an imaginative model based on a membrane. He postulated that the electron, instead of resembling a point, was in reality a minute bubble, a membrane closed in on itself. Its oscillations, Dirac suggested, might generate particles such as the muon, a heavier version of the electron. Although his attempt failed, the equations that he postulated for the membrane are essentially the ones we use today.

Supersymmetry severely restricts the possible dimensions of a p-brane. In the spacetime of 11 dimensions floats a membrane, which may take the form of a bubble or a two-dimensional sheet. Paul S. Howe of King's College London, Takeo Inami of Kyoto University, Kellogg Stelle of Imperial College, London, and I were able to show that if one of the 11 dimensions is a circle, we can wrap the sheet around it once, pasting the edges together to form a tube. If the radius becomes sufficiently small, the rolled-up membrane ends up looking like a string in 10 dimensions; it yields precisely the Type IIA superstring.

Notwithstanding such results, the membrane enterprise was largely ignored by the string community. Fortunately, the situation was about to change because of progress in an apparently unrelated field.

In 1917 German mathematician Amalie Emmy Noether had shown that the mass, charge and other attributes of elementary particles are conserved because

of symmetries of the laws of physics. For instance, conservation of electrical charge follows from a symmetry under a change of a particle's wave function.

Sometimes, however, attributes may be maintained because of deformations in fields. Such conservation laws are called topological. Thus, it may happen that a knot in a set of field lines, called a soliton, cannot be smoothed out. As a result, the soliton is prevented from dissipating and behaves much like a particle. A classic example is a magnetic monopole, which has not been found in nature but shows up as twisted configurations in some field theories.

In the traditional view, then, particles such as electrons and quarks (which carry Noether charges) are seen as fundamental, whereas particles such as magnetic monopoles (which carry topological charge) are derivative. In 1977, however, Claus Montonen, now at the Helsinki Institute of Physics in Finland, and David I. Olive, now at the University of Wales at Swansea, made a bold conjecture. Might there exist an alternative formulation of physics in which the roles of Noether charges (like electrical charge) and topological charges (like magnetic charge) are reversed? In such a "dual" picture, the magnetic monopoles would be the elementary objects, whereas the familiar particles—quarks, electrons and so on—would arise as solitons.

More precisely, a fundamental parti-


cle with charge  $e$  would be equivalent to a solitonic particle with charge  $1/e$ . Because its charge is a measure of how strongly a particle interacts, a monopole would interact weakly when the original particle interacts strongly (that is, when  $e$  is large), and vice versa.

The conjecture, if true, would lead to a profound mathematical simplification. In the theory of quarks, for instance, physicists can make hardly any calculations when the quarks interact strongly. But any monopoles in the theory must then interact weakly. One could imagine doing calculations with a dual theory based on monopoles and automatically getting all the answers for quarks, because the dual theory would yield the same final results.

Unfortunately, the idea presented a chicken-and-egg problem. Once proved, the Montonen-Olive conjecture could leap beyond conventional calculational techniques, but it would need to be proved by some other method in the first place.

As it turns out, p-branes can also be viewed as solitons. In 1990 Andrew Strominger of the Institute for Theoretical Physics in Santa Barbara, Calif., found that a 10-dimensional string can yield a soliton that is a five-brane. Reviving a conjecture of mine, Strominger suggested that a strongly interacting string is the dual equivalent of weakly interacting five-branes.


There were two major impediments to this duality. First, the duality proposed by Montonen and Olive—between electricity and magnetism in four dimensions—was still unproved, so duality between strings and five-branes in 10 dimensions was even more tenuous. Second, there were issues about how to find the quantum properties of five-branes and



SIMULTANEOUS SHRINKING of a membrane and a dimension of spacetime can result in a string. As the underlying space, shown here as a two-dimensional sheet, curls into a cylinder, the membrane wraps around it. The curled dimension becomes a circle so small that the two-dimensional space ends up looking one-dimensional, like a line. The tightly wrapped membrane then resembles a string.



EXTRA DIMENSION curled into a tube offers insights into the fabric of spacetime.



hence how to prove the new duality.

The first of these impediments was removed, however, when Ashoke Sen of the Tata Institute of Fundamental Research in Bombay, India, established that supersymmetric theories would require the existence of certain solitons with both electrical and magnetic charges. These objects had been predicted by the Montonen-Olive conjecture. This seemingly inconspicuous result converted many skeptics and unleashed a flood of papers. In particular, it inspired Nathan Seiberg of Rutgers University and Edward Witten to look for duality in more realistic (though still supersymmetric) versions of quark theories. They provided a wealth of information on quantum fields, of a kind unthinkable just a few years before.

## Duality of Dualities

IN 1990 SEVERAL theorists generalized the idea of Montonen-Olive duality to four-dimensional superstrings, in whose realm the idea becomes even more natural. This duality, which was then speculative, goes by the name S-duality.

In fact, string theorists had already become used to a totally different kind of duality called T-duality. T-duality relates two kinds of particles that arise when a string loops around a compact dimension. One kind (call them “vibrating” particles) is analogous to those predicted by Kaluza and Klein and comes from vibrations of the loop of string [see box on next page]. Such particles are more energetic if the circle is small. In addition, the string can wind many times around the circle, like a rubber band on a wrist; its energy becomes higher the more times it wraps

around and the larger the circle is. Moreover, each energy level represents a new particle (call them “winding” particles).

T-duality states that the winding particles for a circle of radius  $R$  are the same as the vibrating particles for a circle of radius  $1/R$ , and vice versa. To a physicist, the two sets of particles are indistinguishable: a fat, compact dimension may yield the same particles as a thin one.

This duality has a profound implication. For decades, physicists have been struggling to understand nature at the extremely small scales near the Planck length of  $10^{-33}$  centimeter. We have always supposed that laws of nature break down at smaller distances. What T-duality suggests, however, is that at these scales, the universe looks just the same as it does at large scales. One may even imagine that if the universe were to shrink to less than the Planck length, it would transform into a dual universe that grows bigger as the original one collapses.

Duality between strings and five-branes was still conjectural, however, because of the problem of quantizing five-branes. Starting in 1991, a team at Texas A&M University, with Jianxin Lu, Ruben Minasian, Ramzi Khuri and myself, dealt with the problem by sidestepping it. If four of the 10 dimensions curl up and the five-brane wraps around these, the latter ends up as a one-dimensional object—a (solitonic) string in six-dimensional spacetime. In addition, a fundamental string in 10 dimensions remains fundamental even in six dimensions. So the concept of duality between strings

“BRANE” SCAN lists the membranes that arise in spacetimes of different dimensions. A p-brane of dimension 0 is a particle, that of dimension 1 is a string and that of dimension 2 is a sheet or bubble. Some branes have no spin (red), but Dirichlet-branes have spin of 1 (blue).


and five-branes gave way to another conjecture, duality between a solitonic and a fundamental string.


The advantage is that we do know how to quantize a string. Hence, the predictions of string-string duality could be tested. One can show, for instance, that the strength with which the solitonic strings interact is given by the inverse of the fundamental string’s interaction strength, in agreement with the conjecture.

In 1994 Christopher M. Hull of Queen Mary and Westfield College at the University of London, along with Paul K. Townsend of the University of Cambridge, suggested that a weakly interacting heterotic string can even be the dual of a strongly interacting Type IIA string, if both are in six dimensions. The barriers between the different string theories were beginning to crumble.

It occurred to me that string-string duality has another unexpected payoff. If we reduce the six-dimensional spacetime to four dimensions by curling up two dimensions, the fundamental string and the solitonic string each acquire a T-duality. But here is the miracle: the T-duality of the solitonic string is just the S-duality of the fundamental string, and vice versa. This phenomenon—in which the interchange of charges in one picture is the inversion of length in the dual picture—is called the Duality of Dualities. It places the previously speculative S-duality on as firm a footing as the well-established T-duality. In addition, it predicts that the strength with which objects interact—their charges—is related to the size of the invisible dimensions. What is charge in one universe may be size in another.

In a landmark talk at the University of Southern California in 1995, Witten





## DUALITY BETWEEN LARGE AND SMALL


T-DUALITY CONNECTS the physics of large spacetimes with that of small ones. Visualize a curled spacetime as a cylinder. A string looped around it has two kinds of energy states. One set arises from the waves in the string that fit around the cylinder; call these the “vibration” modes. If the cylinder is fat, the vibrations tend to have long wavelengths and less energy. So the energies corresponding to different numbers of waves around the cylinder are separated by small amounts—that is, they are “closely spaced.”

The string can, however, also loop around the cylinder like a stretched rubber band. If the cylinder is fat, the string needs to stretch more, requiring more energy. Thus, the energies of the states corresponding to different numbers of loops—call these the “winding” modes—are widely spaced.

For a thin cylinder, the waves fitting around it are small and have high energy; the vibration states are widely spaced. But the loops require less energy, so the winding modes are closely spaced.

To an outside observer, the physical origins of the vibration and winding states are not apparent. Both the thin and the fat tube yield the same energy levels, which physicists interpret as particles. As such, the minute scales of the thin spacetime may yield the same physics as the large scales of our universe.

—M.J.D.



drew together all the work on T-duality, S-duality and string-string duality under the umbrella of M-theory in 11 dimensions. In the following months, literally hundreds of papers appeared on the Internet confirming that whatever M-theory may be, it certainly involves membranes in an important way.

Even the  $E_8 \times E_8$  string, whose handedness was thought impossible to derive from 11 dimensions, acquired an origin in M-theory. Witten, along with Petr Horava of Princeton University, showed how to shrink the extra dimension of M-theory into a segment of a line. The resulting picture has two 10-dimensional universes (each at an end of the line) connected by a spacetime of 11 dimensions. Particles—and strings—exist only in the parallel universes at the ends, which can communicate with each other only via gravity. (One can speculate that all visible matter in our universe lies on one wall, whereas the


“dark matter,” believed to account for the invisible mass in the universe, resides in a parallel universe on the other wall.)

This scenario may have important consequences for confronting M-theory with experiment. For example, physicists know that the intrinsic strengths of all the forces change with the energy of the relevant particles. In supersymmetric theories, one finds that the strengths of the strong, weak and electromagnetic forces all converge at an energy  $E$  of  $10^{16}$  giga-electron-volts. Further, the interaction strengths almost equal—but not quite—the value of the dimensionless number  $GE^2$ , where  $G$  is Newton’s gravitational constant. This near miss, most likely not a coincidence,

THREE FORCES CONVERGE to the same strength when particles are as energetic as  $10^{16}$  giga-electron-volts. Until now, gravity was believed to miss this meeting point. But calculations including the 11th dimension of M-theory suggest that gravity may indeed converge.

seems to call for an explanation; it has been a source of great frustration for physicists.

But in the bizarre spacetime envisioned by Horava and Witten, one can choose the size of the 11th dimension so that all four forces meet at this common scale. It is far less than the Planck energy of  $10^{19}$  giga-electron-volts, at which gravity was formerly expected to become strong. (High




energy is connected to small distance via quantum mechanics. So Planck energy is simply Planck length expressed as energy.) Quantum-gravitational effects may thus be far closer in energy to everyday events than physicists previously believed, a result that would have all kinds of cosmological consequences. The Horava-Witten idea has prompted a variation on the Kaluza-Klein theme known as “brane-world,” in which our universe is a three-brane in a higher-dimensional universe. The strong, weak and electromagnetic forces are confined to the brane, but gravity lives in the bulk. The extra dimension may be as large as a millimeter.

In 1995 Joseph Polchinski of the Institute for Theoretical Physics realized that some p-branes resemble a surface discovered by 19th-century German mathematician Peter G. L. Dirichlet. On occasion these branes can be interpreted as black holes or, rather, black-branes—objects from which nothing, not even light, can escape. Open strings, for instance, may be regarded as closed strings, part of which are hidden behind the black-branes. Such breakthroughs have led to a new interpretation of black holes as intersecting black-branes wrapped around seven curled dimensions. As a result, there are strong hints that M-theory may even clear up the paradoxes of black holes raised by Stephen W. Hawking of the University of Cambridge.

In 1974 Hawking showed that black holes are not entirely black but may radiate energy. In that case, black holes must possess entropy, which measures the disorder by accounting for the number of quantum states available. Yet the microscopic origin of these states stayed a mystery. The technology of Dirichlet-branes has enabled Strominger and Cumrun Vafa of Harvard University to count the number of quantum states in black-branes. They find an entropy that agrees with Hawking’s prediction, placing another feather in the cap of M-theory.

Black-branes also promise to solve one of the biggest problems of string theory: there seem to be billions of different ways of crunching 10 dimensions down to four. So there are many competing predictions of how the real world works—in



M-THEORY in 11 dimensions gives rise to the five string theories in 10 dimensions. When the extra dimension curls into a circle, M-theory yields the Type IIA superstring, further related by duality to the Type IIB string. If the extra dimension shrinks to a line segment, M-theory becomes the physically plausible  $E_8 \times E_8$  heterotic string, connected to the  $SO(32)$  string theories by dualities.

other words, no prediction at all. It turns out, however, that the mass of a black-brane can vanish as a hole it wraps around shrinks. This feature miraculously affects the spacetime itself, allowing one spacetime with a certain number of internal holes to change to another with a different number of holes, violating the laws of classical topology.

If all the spacetimes are thus related, finding the right one becomes a more tractable problem. The string may ultimately choose the spacetime with, say, the lowest energy and inhabit it. Its undulations would then give rise to the elementary particles and forces as we know them—that is, the real world.

In an interesting offshoot of Dirichlet-branes, Juan Maldacena of the Institute for Advanced Study has posed a five-dimensional spacetime known as anti de Sitter space, a negatively curved, saddle-shaped spacetime. This world, including all its gravitational interactions, may be described by a nongravitational theory that resides on its four-dimensional boundary. This may shed light on the four-dimensional quark theories that govern the strong nuclear interactions. If this so-called holographic picture is correct, then the universe is like the wall of Plato’s cave, and we are the shadows projected on it.

In another variation, Lisa Randall of Harvard and Raman Sundrum of Johns Hopkins University combine the brane-world and holographic ideas to suggest that our universe is a three-brane sitting on a five-dimensional anti de Sitter space.

It has even been suggested that the big bang was simply the collision of two three-branes.

Thus, branes are no longer the ugly ducklings of string theory. They have taken center stage as the microscopic constituents of M-theory, as the higher-dimensional progenitors of black holes and as entire universes in their own right.

## 10 to 11: Not Too Late

DESPITE ALL THESE successes, physicists are glimpsing only small corners of M-theory; the big picture is still lacking. Physicists have long suspected that unifying gravity—the geometry of spacetime—with quantum physics will lead to spacetime’s becoming similarly ill defined, at least until a new definition is discovered. Over the next few years we hope to discover what M-theory really is.

Witten is fond of imagining how physics might develop on a planet where discoveries such as general relativity, quantum mechanics and supersymmetry were made in a different order than on Earth. In a similar vein, I would like to suggest that on planets more logical than ours, 11 dimensions would have been the starting point from which 10-dimensional string theory was subsequently derived. Indeed, future terrestrial historians may judge the late 20th century as a time when theorists were like children playing on the seashore, diverting themselves with the smooth pebbles of superstrings while the great ocean of M-theory lay undiscovered before them.

## MORE TO EXPLORE

**Unity from Duality.** Paul Townsend in *Physics World*, Vol. 8, No. 9, pages 1–6; September 1995.

**Explaining Everything.** Madhusree Mukerjee in *Scientific American*, Vol. 274, No. 1, pages 88–94; January 1996.

**Duality, Spacetime and Quantum Mechanics.** Edward Witten in *Physics Today*, Vol. 50, No. 5, pages 28–33; May 1997.

**The Universe’s Unseen Dimensions.** Nima Arkani-Hamed, Savas Dimopoulos and Georgi Dvali in *Scientific American*, pages 62–69; August 2000.